



桨式搅拌器

JBj Paddle Type Mixer



JBJ型桨式搅拌机 JBJ Paddle Type Mixer

用途 Usage

用于水厂污泥池、絮凝池和工业流程中需要对固液进行溶解、均质的水上搅拌机械。

The paddle type mixer is used in the sludge pond, the flocculation pond and the industry flow where needs to dissolve and mix.

结构组成 The Structure

JBJ型桨式搅拌机由动力部分、底座、传动轴和叶板等组成。

The JBJ paddle type mixer is composed by the power section, the foundation, the drive shaft and the blade and so on.

型号表示方法 Model Denotation Method:



主要技术参数及安装尺寸见下表及图

Main Technical Parameters and Installation Dimensions See the following table and diagram.


型号Model		叶轮直径 (mm) Diameter	转速 (r/min) Rotate speed	电机功率 (kW) Motor power	服务范围 (m) Service scope	水深* (m) Depth of water
JBJ200	涡轮型 Turbine type	200	103-400	0.25-1.5	0.4-0.6	0.5
JBJ300		300	103-400	0.25-1.5	0.5-0.9	0.6
JBJ400		400	103-400	0.25-1.5	0.8-1.2	0.8
JBJ600	高效轴流型 高效曲面复合型 Axial flow type Composite surface type	600	35-126	0.37-1.5	1.2-1.8	1.5
JBJ800		800	35-105	0.75-3.0	1.6-2.5	2.0
JBJ1000		1000	32-90	1.1-4.0	2.0-3.0	2.0
JBJ1200		1200	24-74	1.5-4.0	2.5-3.5	2.5
JBJ1400		1400	17-61	1.5-5.5	3.0-4.5	3.0
JBJ1600		1600	17-51	1.5-5.5	3.5-5.0	3.5

注：*单层叶桨适用水深，可根据用户要求作特殊设计

Note: Special design can be made in accordance with the demand of the users

JBJ1 型桨式搅拌机外形安装图

Diagram of the outside dimensions and installation for Model JBJ1 propeller type mixer



涡轮型
Turbine type



高效轴流型
Axial flow type



高效曲面复合型
Composite surface type





地址：南京六合经济开发区时代大道 69 号
Add: No.69 Shidai Avenue, Luhe Economic Development
Zone, Nanjing, P.R.China
电话 Tel: +86 25 57139086 86661665 57138396(总机)
传真 Fax: +86 25 57139096 86669839
[http:www.njbeite.com](http://www.njbeite.com)
E-mail:Beite@njbeite.com